ELSEVIER

Neuroscience Letters 349 (2003) 213–216

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 349

Acker, J.D., see Raz, N., 163
Arango, G., see Parra-Bonilla, G., 159
Arboleda, G., see Parra-Bonilla, G., 159
Arboleda, H., see Parra-Bonilla, G., 159
Arsaut, J., see Hébert, G., 191

Bäck, N., see Ekelund, J., 68
Babu, P.P., see Sultana, R., 45
Barnett, D.H., see Perrin, R.J., 133
Berti, R., see Williams, A.J., 147
Blasco-Ibáñez, J.M., see Crespo, C., 151
Brailoiu, G.C., see Dun, S.L., 71
Buekers, M.J., see Ceux, T., 103

Caudle, R.M., Perez, F.M., King, C., Yu, C.-G., Yezierski, R.P., *N*-Methyl-D-aspartate receptor subunit expression and phosphorylation following excitotoxic spinal cord injury in rats, 37
Ceux, T., Buekers, M.J., Montagne, G., The effects of enhanced visual feedback on human synchronization, 103
Chaby, L., George, N., Renault, B., Fiori, N., Age-related changes in brain responses to personally known faces: an event-related potential (ERP) study in humans, 125
Chang, J.K., see Dun, S.L., 71
Chang[1], D.-J., see Lee, Y., 53
Chen, B.-Y., see Zhao, H., 25
Chen, S.-F., see Hsueh, C.-M., 155
Coplin, W.M., see Pilitsis, J.G., 136
Cornelius, B., see Schwenkreis, P., 187
Crespo, C., Gracia-Llanes, F.J., Blasco-Ibáñez, J.M., Gutièrrez-Mecinas, M., Marqués-Marí, A.I., Martínez-Guijarro, F.J., Nitric oxide synthase containing periglomerular cells are GABAergic in the rat olfactory bulb, 151

da Silva, G.E., Fernandes, M.S., Takahashi, R.N., Potentiation of penile erection and yawning responses to apomorphine by cannabinoid receptor antagonist in rats, 49
Dahle, C., see Raz, N., 163
Dantzer, R., see Hébert, G., 191
Dave, J.R., see Williams, A.J., 147
Dayalu, V.N., see Saltuklaroglu, T., 120
Demotes-Mainard, J., see Hébert, G., 191
Depboylu, C., Du, Y., Müller, U., Kurz, A., Zimmer, R., Riemenschneider, M., Gasser, T., Oertel, W.H., Klockgether, T., Dodel, R.C., Erratum to "Lack of association of interleukin-10 promoter region polymorphisms with Alzheimer's disease" [Neuroscience Letters 342 (2003) 132–134], 212
Dertwinkel, R., see Schwenkreis, P., 187
Diaz, F.G., see Pilitsis, J.G., 136
Dills, C.V., see Leiphart, J.W., 5
Dodd, P.R., see Ikegami, Y., 201
Dodel, R.C., see Depboylu, C., 212
Du, Y., see Depboylu, C., 212
Dun, N.J., see Dun, S.L., 71
Dun, S.L., Brailoiu, G.C., Yang, J., Chang, J.K., Dun, N.J., Neuropeptide W-immunoreactivity in the hypothalamus and pituitary of the rat, 71

Ekelund, J., Wahlbeck, K., Bäck, N., No association between micrometer-sized particles in human cerebrospinal fluid and schizophrenia, 68
Elliott, D., see Tremblay, L., 99

Fagioli, I., see Zampi, C., 83
Fairfax, M.R., see Pilitsis, J.G., 136
Fernandes, M.S., see da Silva, G.E., 49
Fiori, N., see Chaby, L., 125
Friedman, E., see Gil, M., 143
Fujita, N., see Nagata, S., 175
Fujiwara, Y., see Nakata, K., 171
Fukushima, T., Shingai, R., Ogurusu, T., Ichinose, M., Inhibition of willardiine-induced currents through rat GluR6/KA-2 kainate receptor channels by Zinc and other divalent cations, 107

Gagliano, N., see Gioia, M., 167
Galbiati, S., see Gioia, M., 167
Gasser, T., see Depboylu, C., 212
George, J.M., see Perrin, R.J., 133
George, N., see Chaby, L., 125
Gil, M., Zhen, X., Friedman, E., Prenatal cocaine exposure alters glycogen synthase kinase-3β (GSK3β) pathway in select rabbit brain areas, 143
Gioia, M., Moscheni, C., Galbiati, S., Gagliano, N., Immunocytochemical localization of extracellular signal-regulated kinases 1 and 2 phosphorylated neurons in the brainstem of rat following visceral noxious stimulation, 167
Goodenough, S., see Ikegami, Y., 201
Gracia-Llanes, F.J., see Crespo, C., 151
Gronier, B.S., Rasmussen, K., Electrophysiological effects of acute and chronic olanzapine and fluoxetine in the rat prefrontal cortex, 196
Guntupalli, V.K., see Saltuklaroglu, T., 120
Guo, J., see Song, B., 183
Gutièrrez-Mecinas, M., see Crespo, C., 151

Hébert, G., Arsaut, J., Dantzer, R., Demotes-Mainard, J., Time-course of the expression of inflammatory cytokines and matrix metalloproteinases in the striatum and mesencephalon of mice injected with 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, a dopaminergic neurotoxin, 191
Hagino, S., Iseki, K., Mori, T., Zhang, Y., Sakai, N., Yokoya, S., Hikake, T., Kikuchi, S., Wanaka, A., Expression pattern of glypican-1 mRNA after brain injury in mice, 29
Hamamura, T., see Nakata, K., 171

doi:10.1016/S0304-3940(03)00958-3

Han[1], J.-H., see Lee, Y., 53
Hazell, A.S., Normandin, L., Nguyen, B., Kennedy, G., Upregulation of 'peripheral-type' benzodiazepine receptors in the globus pallidus in a sub-acute rat model of manganese neurotoxicity, 13
Head, D., see Raz, N., 163
Hedmont, D., see Parra-Bonilla, G., 159
Herbeth, B., see Leininger-Muller, B., 95
Hikake, T., see Hagino, S., 29
Holopainen, I.E., see Laurén, H.B., 58
Hong, C.-J., Yu, Y.W.-Y., Lin, C.-H., Tsai, S.-J., An association study of a brain-derived neurotrophic factor Val66Met polymorphism and clozapine response of schizophrenic patients, 206
Hoy, A., see Leininger-Muller, B., 95
Hsueh, C.-M., Kuo, J.-S., Chen, S.-F., Ischemia/reperfusion-induced changes of hypothalamic-pituitary-adrenal (HPA) activity is opioid related in Sprague–Dawley rat, 155
Huh, Y., Jung, J.W., Park, C., Ryu, J.R., Shin, C.Y., Kim, W.-K., Ryu, J.H., Microglial activation and tyrosine hydroxylase immunoreactivity in the substantia nigral region following transient focal ischemia in rats, 63
Hwang, S.J., Valtschanoff, J.G., Vanilloid receptor VR1-positive afferents are distributed differently at different levels of the rat lumbar spinal cord, 41

Ichinose, M., see Fukushima, T., 107
Ikegami, Y., Goodenough, S., Inoue, Y., Dodd, P.R., Wilce, P.A., Matsumoto, I., Increased TUNEL positive cells in human alcoholic brains, 201
Imamura, T., see Nakata, K., 171
Inagaki, C., see Suzukawa, J., 21
Inoue, Y., see Ikegami, Y., 201
Iseki, K., see Hagino, S., 29
Iwayama-Shigeno, Y., see Yamada, K., 9

Jin, F., see Zhang, P., 209
Jung, J.W., see Huh, Y., 63

Kaang, B.-K., see Lee, Y., 53
Kakuma, T., see Yasuda, T., 75
Kalinowski, J., see Saltuklaroglu, T., 120
Katsu, T., see Nakata, K., 171
Kennedy, G., see Hazell, A.S., 13
Kennedy, K.M., see Raz, N., 163
Kikuchi, S., see Hagino, S., 29
Kilpeläinen, M., see Paavilainen, P., 79
Kim, H., see Lee, P., 33
Kim, S.Y., see Lee, P., 33
Kim, W.-K., see Huh, Y., 63
Kim, Y.S., see Lee, P., 33
King, C., see Caudle, R.M., 37
Klockgether, T., see Depboylu, C., 212
Konno, R., Rat cerebral serine racemase: amino acid deletion and truncation at carboxy terminus, 111
Koplovitz, I., see Williams, A.J., 147
Korpi, E.R., see Laurén, H.B., 58
Kratzer, U., Schmidt, W.J., Caroverine inhibits the conditioned place aversion induced by naloxone-precipitated morphine withdrawal in rats, 91
Kuo, J.-S., see Hsueh, C.-M., 155
Kuroda, S., see Nakata, K., 171
Kurz, A., see Depboylu, C., 212

Lahlou, S., Enhanced hypotensive response to intravenous apomorphine in chronic spinalized, conscious rats: role of spinal dopamine D_1 and D_2 receptors, 115
Laurén, H.B., Pitkänen, A., Nissinen, J., Soini, S.L., Korpi, E.R., Holopainen, I.E., Selective changes in gamma-aminobutyric acid type A receptor subunits in the hippocampus in spontaneously seizing rats with chronic temporal lobe epilepsy, 58
Lee, J., see Lee, P., 33
Lee, P., Son, D., Lee, J., Kim, Y.S., Kim, H., Kim, S.Y., Excessive production of nitric oxide induces the neuronal cell death in lipopolysaccharide-treated rat hippocampal slice culture, 33
Lee, Y., Han[1], J.-H., Lim[1], C.-S., Chang[1], D.-J., Lee, Y.-S., Soh, H., Park, C.-S., Kaang, B.-K., Impairment of a parabolic bursting rhythm by the ectopic expression of a small conductance Ca^{2+}-activated K^+ channel in *Aplysia* neuron R15, 53
Lee, Y.-S., see Lee, Y., 53
Lehtinen, R., see Paavilainen, P., 79
Leininger-Muller, B., Hoy, A., Herbeth, B., Pfister, M., Serot, J.-M., Stavljenic-Rukavina, M., Massana, L., Passmore, P., Siest, G., Visvikis, S., Myeloperoxidase G-463A polymorphism and Alzheimer's disease in the ApoEurope study, 95
Leiphart, J.W., Dills, C.V., Levy, R.M., Decreased spinal alpha2a- and alpha2c-adrenergic receptor subtype mRNA in a rat model of neuropathic pain, 5
Levy, R.M., see Leiphart, J.W., 5
Li, S., see Zhang, P., 209
Li, Y., Li, Y.-F., Xu, T.-L., Amiloride inhibition of glycinergic miniature IPSCs in mechanically dissociated rat spinal neurons, 17
Li, Y.-F., see Li, Y., 17
Lim[1], C.-S., see Lee, Y., 53
Lin, C.-H., see Hong, C.-J., 206
Lu, Z., see Zhang, P., 209
Lundeberg, T., see Yu, L.-C., 1

Müller, U., see Depboylu, C., 212
Malin, J.-P., see Schwenkreis, P., 187
Marqués-Marí, A.I., see Crespo, C., 151
Martínez-Guijarro, F.J., see Crespo, C., 151
Masaki, T., see Yasuda, T., 75
Massana, L., see Leininger-Muller, B., 95
Matsumoto, I., see Ikegami, Y., 201
Mattioli, R., see Medalha, C.C., 179
Medalha, C.C., Santangelo, E.M., Mattioli, R., Neurochemical analysis of brain monoamines after L-histidine and chlorpheniramine administration in goldfish, 179
Meng, F., see Song, B., 183
Michael, D.B., see Pilitsis, J.G., 136
Mikkonen, M., see Paavilainen, P., 79
Montagne, G., see Ceux, T., 103
Mori, T., see Hagino, S., 29
Moscheni, C., see Gioia, M., 167

Nagata, S., Yamada, Y., Saito, R., Fujita, N., Overexpression of receptor-type protein tyrosine phosphatase β causes abnormal development of the cranial nerve in *Xenopus* embryos, 175
Nakata, K., Ujike, H., Tanaka, Y., Takaki, M., Sakai, A., Nomura, A., Katsu, T., Uchida, N., Imamura, T., Fujiwara, Y., Hamamura, T., Kuroda, S., No association between the dihydropyrimidinase-related protein 2 (DRP-2) gene and bipolar disorder in humans, 171
Nguyen, B., see Hazell, A.S., 13
Nissinen, J., see Laurén, H.B., 58

Nomura, A., see Nakata, K., 171
Noor, R., Wang, C.X., Shuaib, A., Effects of hyperthermia on infarct volume in focal embolic model of cerebral ischemia in rats, 130
Normandin, L., see Hazell, A.S., 13

O'Regan, M.H., see Pilitsis, J.G., 136
Oertel, W.H., see Depboylu, C., 212
Ogurusu, T., see Fukushima, T., 107
Omori, K., see Suzukawa, J., 21

Paavilainen, P., Mikkonen, M., Kilpeläinen, M., Lehtinen, R., Saarela, M., Tapola, L., Evidence for the different additivity of the temporal and frontal generators of mismatch negativity: a human auditory event-related potential study, 79
Pardo, R., see Parra-Bonilla, G., 159
Park, C., see Huh, Y., 63
Park, C.-S., see Lee, Y., 53
Parra-Bonilla, G., Arboleda, G., Yunis, J., Solano, E., Pardo, R., Arango, G., Hedmont, D., Arboleda, H., Haplogroup analysis of the risk associated with APOE promoter polymorphisms (−219T/G, −491A/T and −427T/C) in Colombian Alzheimer's disease patients, 159
Passmore, P., see Leininger-Muller, B., 95
Pavlik, A., see Turcani, M., 87
Payton, J.E., see Perrin, R.J., 133
Perez, F.M., see Caudle, R.M., 37
Perrin, R.J., Payton, J.E., Barnett, D.H., Wraight, C.L., Woods, W.S., Ye, L., George, J.M., Epitope mapping and specificity of the anti-α-synuclein monoclonal antibody Syn-1 in mouse brain and cultured cell lines, 133
Pfister, M., see Leininger-Muller, B., 95
Phillis, J.W., see Pilitsis, J.G., 136
Pilitsis, J.G., Coplin, W.M., O'Regan, M.H., Wellwood, J.M., Diaz, F.G., Fairfax, M.R., Michael, D.B., Phillis, J.W., Free fatty acids in cerebrospinal fluids from patients with traumatic brain injury, 136
Pitkänen, A., see Laurén, H.B., 58
Pleger, B., see Schwenkreis, P., 187
Price, R.A., see Williams, A.J., 147

Raffa, R.B., Stagliano, G.W., Umeda, S., κ-Opioid withdrawal in *Planaria*, 139
Rasmussen, K., see Gronier, B.S., 196
Rastatter, M.P., see Saltuklaroglu, T., 120
Raz, N., Rodrigue, K.M., Kennedy, K.M., Dahle, C., Head, D., Acker, J.D., Differential age-related changes in the regional metencephalic volumes in humans: a 5-year follow-up, 163
Renault, B., see Chaby, L., 125
Riemenschneider, M., see Depboylu, C., 212
Rodrigue, K.M., see Raz, N., 163
Ryu, J.H., see Huh, Y., 63
Ryu, J.R., see Huh, Y., 63

Saarela, M., see Paavilainen, P., 79
Saito, R., see Nagata, S., 175
Sakai, A., see Nakata, K., 171
Sakai, N., see Hagino, S., 29
Saltuklaroglu, T., Kalinowski, J., Dayalu, V.N., Guntupalli, V.K., Stuart, A., Rastatter, M.P., A temporal window for the central inhibition of stuttering via exogenous speech signals in adults, 120
Salzarulo, P., see Zampi, C., 83
Santangelo, E.M., see Medalha, C.C., 179
Schmidt, W.J., see Kratzer, U., 91
Schultz, S.M., see Williams, A.J., 147
Schwenkreis, P., Pleger, B., Cornelius, B., Weyen, U., Dertwinkel, R., Zenz, M., Malin, J.-P., Tegenthoff, M., Reorganization in the ipsilateral motor cortex of patients with lower limb amputation, 187
Serot, J.-M., see Leininger-Muller, B., 95
Shi, X., see Zhang, P., 209
Shin, C.Y., see Huh, Y., 63
Shingai, R., see Fukushima, T., 107
Shuaib, A., see Noor, R., 130
Siest, G., see Leininger-Muller, B., 95
Soh, H., see Lee, Y., 53
Soini, S.L., see Laurén, H.B., 58
Solano, E., see Parra-Bonilla, G., 159
Son, D., see Lee, P., 33
Song, B., Meng, F., Yan, X., Guo, J., Zhang, G., Cerebral ischemia immediately increases serine phosphorylation of the synaptic RAS-GTPase activating protein SynGAP by calcium/calmodulin-dependent protein kinase II α in hippocampus of rats, 183
Stagliano, G.W., see Raffa, R.B., 139
Stavljenic-Rukavina, M., see Leininger-Muller, B., 95
Stuart, A., see Saltuklaroglu, T., 120
Sultana, R., Babu, P.P., Ethanol-induced alteration in *N*-methyl-D-aspartate receptor 2A C-terminus and protein kinase C activity in rat brain, 45
Suzukawa, J., Omori, K., Yang, L., Inagaki, C., Continuous administration of antisense oligonucleotides to c-*fos* reduced the development of seizure susceptibility after ethacrynic acid-induced seizure in mice, 21

Takahashi, R.N., see da Silva, G.E., 49
Takaki, M., see Nakata, K., 171
Tanaka, Y., see Nakata, K., 171
Tapola, L., see Paavilainen, P., 79
Tegenthoff, M., see Schwenkreis, P., 187
Tian, Z.-Z., see Zhao, H., 25
Tortella, F.C., see Williams, A.J., 147
Tremblay, L., Elliott, D., Contribution of action to perception of self-orientation in humans, 99
Tsai, S.-J., see Hong, C.-J., 206
Turcani, M., Pavlik, A., Turcani, P., Propentofylline rapidly normalizes mitochondrial respiration in a gerbil low flow unilateral forebrain ischemia, 87
Turcani, P., see Turcani, M., 87

Uchida, N., see Nakata, K., 171
Ujike, H., see Nakata, K., 171
Umeda, S., see Raffa, R.B., 139

Valtschanoff, J.G., see Hwang, S.J., 41
Velarde, L.C., see Williams, A.J., 147
Visvikis, S., see Leininger-Muller, B., 95

Wahlbeck, K., see Ekelund, J., 68
Wan, C., see Zhang, P., 209
Wanaka, A., see Hagino, S., 29
Wang, C.X., see Noor, R., 130
Wang, J.-W., see Yu, L.-C., 1
Wang, L., see Zhang, P., 209
Watanabe[1], A., see Yamada, K., 9
Wellwood, J.M., see Pilitsis, J.G., 136
Weng, X.-H., see Yu, L.-C., 1

Weyen, U., see Schwenkreis, P., 187
Wilce, P.A., see Ikegami, Y., 201
Williams, A.J., Berti, R., Yao, C., Price, R.A., Velarde, L.C., Koplovitz, I., Schultz, S.M., Tortella, F.C., Dave, J.R., Central neuro-inflammatory gene response following soman exposure in the rat, 147
Woods, W.S., see Perrin, R.J., 133
Wraight, C.L., see Perrin, R.J., 133

Xu, T.-L., see Li, Y., 17

Yamada, K., Watanabe[1], A., Iwayama-Shigeno, Y., Yoshikawa, T., Evidence of association between gamma-aminobutyric acid type A receptor genes located on 5q34 and female patients with mood disorders, 9
Yamada, Y., see Nagata, S., 175
Yan, X., see Song, B., 183
Yang, J., see Dun, S.L., 71
Yang, L., see Suzukawa, J., 21
Yang, Z., see Zhang, P., 209
Yao, C., see Williams, A.J., 147
Yasuda, T., Masaki, T., Kakuma, T., Yoshimatsu, H., Centrally administered ghrelin suppresses sympathetic nerve activity in brown adipose tissue of rats, 75
Ye, L., see Perrin, R.J., 133
Yezierski, R.P., see Caudle, R.M., 37
Yokoya, S., see Hagino, S., 29
Yoshikawa, T., see Yamada, K., 9
Yoshimatsu, H., see Yasuda, T., 75
Yu, C.-G., see Caudle, R.M., 37
Yu, L.-C., Weng, X.-H., Wang, J.-W., Lundeberg, T., Involvement of calcitonin gene-related peptide and its receptor in anti-nociception in the periaqueductal grey of rats, 1
Yu, Y.W.-Y., see Hong, C.-J., 206
Yunis, J., see Parra-Bonilla, G., 159

Zampi, C., Fagioli, I., Salzarulo, P., Time course of EEG background activity level before spontaneous awakening in the second semester of human life, 83
Zenz, M., see Schwenkreis, P., 187
Zhang, C., see Zhang, P., 209
Zhang, D., see Zhang, P., 209
Zhang, G., see Song, B., 183
Zhang, P., Yang, Z., Zhang, C., Lu, Z., Shi, X., Zheng, W., Wan, C., Zhang, D., Zheng, C., Li, S., Jin, F., Wang, L., Association study between late-onset Alzheimer's disease and the transferrin gene polymorphisms in Chinese, 209
Zhang, Y., see Hagino, S., 29
Zhao, H., Tian, Z.-Z., Chen, B.-Y., An important role of corticotropin-releasing hormone in electroacupuncture normalizing the subnormal function of hypothalamus-pituitary-ovary axis in ovariectomized rats, 25
Zhen, X., see Gil, M., 143
Zheng, C., see Zhang, P., 209
Zheng, W., see Zhang, P., 209
Zimmer, R., see Depboylu, C., 212